

关于施密特

施密特电梯有限公司引进全球先进的生产设备、电梯技术、严谨的制造工艺和科学管理理念融入中国电梯行业，为中国城市发展注入强劲的动力。

施密特电梯工厂位于重庆市大足区高新技术产业开发区，紧邻中国西部主动脉——渝蓉高速。公司占地面积约150亩，拥有现代化电梯研发制造基地，最高测试梯速度达8m/s。

自成立以来，施密特始终秉承安全舒适的设计生产理念，为全球市场提供各类扶梯产品，同时可提供完善的加装电梯和更新改造解决方案，提升城市人居生活品质。目前，公司已在中国各省市自治区建立了多家办事机构，同时在全球各个国家和地区设立了服务网点。

施密特电梯有限公司 Schmidt Elevator Co., Ltd.

地址：重庆市大足区高新技术产业开发区
Add: Dazu High-tech Industrial Development Zone, Chongqing
电话 Tel: 023-43450000

全国服务热线：400-999-6525
National Service Hotline:

E-mail: smt@smtelev.com
<http://www.smtelev.com>

本书为一般信息出版物，我们保留随时更改产品设计和说明的权利，本书的任何字句，无论其字面意思或含义，对于任何产品及产品的用途和质量，或者任何购销合同条款的表述与更改均不承担任何责任。
This publication is for general informational purposes and we reserve the right at any time to alter product design and specification. No statement of fitness for any particular purpose of quality, or any modifications or representation of the term of any purchase agreement.

Copyright © 2026 Schmidt Elevator Corporation 版权所有

About Schmidt

Schmidt Elevator Co., Ltd. introduces advanced global production equipment, elevator technology, rigorous manufacturing processes, and scientific management concepts into the Chinese elevator industry, injecting strong impetus into the development of Chinese cities.

The Schmidt Elevator factory is located in the high-tech industrial development zone, Dazu district, Chongqing, in close proximity to the main artery of western China, the Yurong Expressway. The company covers an area of approximately 150 acres and has a modern elevator research and development manufacturing base, with test elevator speeds of up to 8 m/s.

Since its establishment, Schmidt has consistently adhered to the design and production philosophy of safety and comfort, providing various types of elevator products for the global market. Simultaneously, the company can offer comprehensive solutions for installing elevators and undertaking renovation projects, enhancing the quality of urban living. Currently, the company has established multiple offices in provinces, autonomous regions, and municipalities across China, while also setting up service outlets in various countries and regions globally.



SV600家用电梯 SV600 Home lifts



2026年04月印刷
Printed in April 2026

智造舒适安全电梯专家
Expert in intelligent manufacturing
as well as comfort and safety elevators



126米
地标试验塔
126-meter landmark
test tower

480米/分钟
超高速电梯
480 m/min ultra-high-speed
elevator

20吨
大载重货梯
20-ton heavy-duty
freight elevator

A1级
最高级资质
Class A1 highest-level
qualification

赋予别墅生活更多价值 Greate more value on villa life

施密特家用电梯始终追求打造极致的别墅上下生活体验，以智能技术的革新，人性生活的设计，艺术品般的苛求，使您的别墅生活获得更多价值。

Schmidt Home lifts strives to create the best villa life experience all the time, makes your villa life more valueble by intelligent technology revolution, human lift design and artwork persuit.

智造舒适安全电梯服务专家 Expert in providing comfortable and safe elevator solutions

施密特电梯有限公司是“国家高新技术企业国家专精特新小巨人企业国家级绿色工厂”位于中国重庆大足高新区占地面积约150亩。拥有“重庆市电梯技术创新中心、重庆市数字化柔性制造车间、重庆市电梯物联网大数据安全监控平台”，年产能力10000台/套，电梯最高速度突破8m/s，产品获得重庆市“重大新产品、高新技术产品”和“重庆名牌”认定。

作为楼宇客流运输一体化解决方案专家，始终以绿色、安全、智能的国际化视角，倾力于各类垂直电梯、扶梯的设计，能满足全球各地区及各类客户个性化的高标准要求，以精湛工艺、精益管理、高质量服务闪耀全球电梯市场，用中国智慧提升人类垂直运输文明。

Schmidt Elevator Co., Ltd., a "National High-Tech Enterprise, National Specialized and Sophisticated SME (Little Giant), and National Green Factory," is located in Dazu High-Tech Industrial Park, Chongqing, China, covering an area of approximately 150 acres. It possesses the "Chongqing Elevator Technology Innovation Center, Chongqing Digital Flexible Manufacturing Workshop, and Chongqing Elevator IoT Big Data Security Monitoring Platform." With an annual production capacity of 10,000 units/sets, the company's elevators have achieved a maximum speed of 8 m/s. Its products have been recognized as "Major New Products" and "High-Tech Products" by Chongqing Municipality, as well as designated as "Chongqing Famous Brands."

As an expert in building passenger flow transportation integrated solutions, the company consistently adopts an international perspective focused on green, safe, and intelligent technologies. It is dedicated to the design of various types of vertical elevators and escalators, capable of meeting the high-standard personalized requirements of customers across different regions worldwide. With exquisite craftsmanship, lean management, and high-quality services, Schmidt Elevator shines in the global elevator market, leveraging Chinese wisdom to advance the civilization of vertical transportation for humanity.



车间全景
Workshop Panorama



工业机器人
Industrial Robot



德国瓦格纳自动喷涂生产线
Germany WAGNER automatic spraying production line



家用电梯

Home lifts

品质生活, 优雅尊享

Elegant and graceful quality life

施密特家用电梯, 秉承电梯领域顶尖技术, 传承国际经典设计理念, 融汇艺术性, 实用性与时代性于一体, 与别墅、私人豪宅的高层次品味十分吻合。

Schmidt home lifts, adhering to the area of the elevator technology, classic design heritage of the international fusion of artistic, practical and integrated with the times, and Villas, private luxury high-level taste is very consistent.

多种开门方式, 选择不同品位生活

施密特家用电梯, 采用多种开门方式供用户选择, 同时可根据用户的需求和使用情况专门设计。

Alternative door styles, different choice

Varies of kinds door open style provided for you, you can choose any one of them as per your needs for your building requirement.



人性化设计的四大优势

环保节能: 220V 或 380V 的电压, 耗电量相当于一台空调

产品特点: 浅底坑、可无土建井道, 美观、舒适

适用场所: 不同风格、不同结构的别墅

风格外观: 适合各种装修风格

Four advantages of the human design

Environmental protection and energy-saving: It uses 220V or 380 V voltage. Its power consumption is equal to that of a air conditioning.

The product features: No pit, no construction well, it is attractive and comfortable.

The applicable occasions: Different styles and structures of the villas.

Style of appearance: for a variety of decoration style.



紧凑型结构

顶层空间的布局能够适合更多环境, 最小可在 1000×900mm 的井道内安装, 顶层高度最小 2700mm(曳引机下置), 底坑深度≥ 300mm。

Compact structure

The layout of the top floor can be suitable for various environment, the villa lift could be installed inside the shaft with the minimum size of 1000×900mm, the minimum overhead is 2700mm (traction machine down layout), the pit depth is no less than 300mm.

多样化布置

根据特定土建情况, 施密特家用电梯将通过开门方式、对重结构、曳引机布置、控制柜布置等多种布置方式满足客户需求。

Various layout


Depend on the specific shaft condition, Schmidt home lifts will meet clients requirement by various layout of door opening type, CWT structure, traction machine layout, controller layout.

动力系统

永磁电机技术和进口轴承, 噪音低, 可用 220V 专用主机, 在常规电压下即可完成运载使命, 实际耗电量几乎与空调持平。

Power system

Aluminum shell and imported bearings, low noise, usable 220V dedicated host, the conventional voltage to complete the mission, the actual power consumption is almost flat with the refrigerator.



一体化设计 (可选)

钢带主机使驱动轮和电机轴杆融为一体, 更加小巧, 传动性能显著提高。

Integrated design (optional)

The steel stripe traction machine integrates the driving wheel and motor shaft, more compact, significantly improves the transmission performance.

安全电梯典范

Safety elevator classic

赋予别墅生活更多价值

Greaten more value on villa life

施密特家用电梯始终追求打造极致的别墅上下生活体验，以智能技术的革新，人性生活的设计，艺术品般的苛求，使您的别墅生活获得更多价值。

Schmidt home lifts strives to create the best villa life experience all the time, makes your villa life more valuable by intelligent technology revolution, human lift design and artwork pursuit.



远程监控服务体系

通过物联网技术，施密特家用电梯实现了监控平台、客服团队、维保团队的三方高效联动，形成电梯安全的坚固屏障，完美实现全方位定制化的高端安全服务。

Remote monitoring service system

By using the internet of things technology, Schmidt home lifts realizes the high efficient linkage among monitoring platform, customer service team, maintenance team, build up the strong elevator safety barrier, perfectly realizes the full-customized high end safety service.




Schmidt APP

Schmidt APP 还具有 7*24 小时全时安防功能，通过手机 APP，您还能看到电梯内的实时情况，让您每一刻都能守护家人安全。

Schmidt APP

Schmidt APP also has the 7*24 hours full-time function, through the mobile phone APP, you can see the real-time situation inside the cabin, so you can protect your family every moment.




智能语音呼叫系统

乘客进入电梯，通过语音唤醒呼叫系统，语音输入所要到达的楼层，控制系统立即做出响应并执行指令。

Intelligent voice call system

The passenger enters the elevator, wakes up the calling system by voice, and enters the floor to be reached by voice. The control system immediately responds and executes the instructions.




ARD 停电应急装置

为防止意外停电伤人，电梯采用 ARD 应急平层电源，确保在突然断电后，能让电梯仍有足够的电力将乘客安全的送到最近的层站。

ARD Power failure emergency device

To prevent accidental power failure, the elevator can be used ARD emergency flat layer power, to ensure the power suddenly power off, can let the elevator still has enough power to the safety of the passengers to the nearest station.



人体红外感应功能

当通过人体红外感应监测到乘客在电梯内停留 5 分钟以上，将会主动报警，确保乘客发生紧急情况及时发现，随时呵护家人安全。

Body infrared induction function

When infrared induction of human body monitors that passengers have been kept in the villa lift for more than 5 minutes, the system will take the initiative to alarm. Ensure the passenger's emergency is found in time, and keep your family safe at any time.



一键拨号


施密特家用电梯内置一键拨号功能，根据您的设置，启动一键拨号智能模块，能够按照您的设置依次拨打电话。

One-click call


Schmidt home lifts equips with a key dial function, according to your settings, start a key dial smart mode, will dial the calls one by one based on your settings.

钢结构井架

Steel Structure Well Frame



钢结构切面
Steel structure section



钢结构井架特点

性价比高，外包板后期由装修单位封装与设计风格一致，安装位置可选，表面喷涂防锈处理，耐腐蚀。

Features of steel structure well frame

Cost-effective, packaging and design style of the outer board by the decoration unit is the same in the later stage, installation location can be optional, surface spraying rust-proof treatment, corrosion resistance.

高级喷涂钢结构框架

Advanced spray steel structure well frame



黑色
Black



炫彩银
Dazzle colour silver

铝合金井架

Aluminum Alloy Well Frame



铝合金切面
Aluminum alloy section



铝合金井架特点

独立的框架玻璃设计，不额外增加建筑成本，透光性好，与室内装潢融为一体；安装位置可选，耐腐蚀，寿命周期长，选用工业级铝合金，玻璃采用安全夹胶玻璃。

Features of aluminum alloy well frame

Independent frame glass design without additional construction costs. Translucent and integrated into the interior. Installation location optional, corrosion resistant long life cycle. Selection of industrial grade aluminum alloy, glass with safety laminated glass.

高级喷涂铝合金框架


Advanced spray aluminum alloy frame



香槟银 Champagne silver
炫彩金 Dazzling gold
古铜色 Bronze
玫瑰金 Rose gold
砂纹灰 Sand grain gray
砂纹黑 Sand-streaks black

可选封板材质


Optional seal material



透明玻璃 Transparent glass
磨砂玻璃 Frosted glass
青灰色玻璃 Turquoise glass
欧茶色玻璃 European tea glass

轿厢装饰和设计 · 现代简约

Car decoration and design Modern and Simple



S-V6000

吊顶：镜面不锈钢，灯带，筒灯 (DD661)
前壁：抗指纹发纹不锈钢
侧壁：抗指纹发纹不锈钢
后壁：抗指纹发纹不锈钢
地板：岩板 (冰川白 S-DB601)

Ceiling: Mirrored stainless steel, light strip, downlight (DD661)
Front wall: Anti-fingerprint hairline stainless steel
Side wall: Anti-fingerprint hairline stainless steel
Rear wall: Anti-fingerprint hairline stainless steel
Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示

图片系电脑绘制，可能与实际图有不同，具体以实物为准，轿厢踢脚线可根据实际情况而发生变化。
The computer-drawn pictures are only for reference, The car skirting lines are subject to change based on actual conditions.



S-V6004

吊顶：发纹不锈钢，LED 灯，筒灯 (DD662)
前壁：灰钛镜面不锈钢
侧壁：抗指纹喷砂不锈钢 + HSC041 奶咖艺术合金板
后壁：抗指纹喷砂不锈钢 + 镜面蚀刻不锈钢
轿门：抗指纹喷砂不锈钢
地坪：岩板 (温德姆灰 S-DB602)

Ceiling: Hairline stainless steel, LED lamp + downlight(S-D662)
Front wall: Gray titanium mirror stainless steel
Side wall: Anti-fingerprint sandblasted stainless steel + HSC041 Milk Coffee art steel plate
Rear wall: Anti-fingerprint sandblasted stainless steel + mirror etched stainless steel
Car door: Anti-fingerprint sandblasted stainless steel
Floor: Sintered stone (Wyndham Grey S-DB602)



轿厢 360° 全景展示

Note: Ceiling width or depth \leq 1200mm.

S-V6005

吊顶：发纹不锈钢，LED 灯，筒灯 (DD662)
前壁：抗指纹喷砂不锈钢
侧壁：HSM028 直纹橡木艺术合金板，镜面不锈钢
后壁：HSM028 直纹橡木艺术合金板，镜面不锈钢
轿门：抗指纹喷砂不锈钢
地坪：岩板 (温德姆灰 S-DB602)

Ceiling: Hairline stainless steel, LED lamp+downlight(S-D662)
Front wall: Anti-fingerprint sandblasted stainless steel
Side wall: HSM028 straight grain oak art steel plate, mirror stainless steel
Rear wall: HSM028 straight grain oak art steel plate, mirror stainless steel
Car door: Anti-fingerprint sandblasted stainless steel
Floor: Sintered stone (Wyndham Grey S-DB602)



轿厢 360° 全景展示



Note: Ceiling width or depth \leq 1200mm.

图片系电脑绘制，可能与实际图有不同，具体以实物为准，轿厢踢脚线可根据实际情况而发生变化。
The computer-drawn pictures are only for reference, The car skirting lines are subject to change based on actual conditions.

轿厢装饰和设计 · 现代简约

Car decoration and design Modern and Simple



Note: Ceiling width or depth ≤ 1200mm.

S-V6061

吊顶: 牧云灰皮纹艺术合金板, LED 筒灯, 灯带 (DD663)
 后壁: 左侧 HSP01601 牧云灰皮纹艺术合金板,
 右侧 HSP005 乳白皮纹艺术合金板
 左侧壁: 两侧 HSP01601 牧云灰皮纹艺术合金板,
 中间 HSP005 乳白皮纹艺术合金板
 右侧壁: 大板 HSP01601 牧云灰皮纹艺术合金板
 小板 HSP005 乳白皮纹艺术合金板
 前壁: HSP005 乳白皮纹艺术合金板
 轿门: HSP005 乳白皮纹艺术合金板
 扶手: 黑色扶手, 灯带
 地板: 岩板 (冰川白 S-DB601)

Ceiling: Cloud gray leather grain art steel plate,
 LED downlights, light strips(DD663)
 Rear wall: Left side HSP01601 cloud gray leather grain
 art steel plate, Right side HSP005 milky white
 leather texture art steel plate
 Left wall: Both sides HSP01601 cloud gray leather grain
 art steel plate, Middle HSP005 milky white leather
 grain art steel plate
 Right wall: Large panel HSP01601 cloud gray leather grain
 art steel plate, Small panel HSP005 milky white
 leather grain art steel plate
 Front wall: HSP005 milky white leather grain art steel plate
 Car door: HSP005 milky white leather grain art steel plate
 Handrail: Black handrail, light strip
 Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示



Note: Ceiling width or depth ≤ 1200mm.

S-V6062

吊顶: 木饰板, LED 筒灯 + 灯带 (DD664)
 后壁: 左侧 HSM028 直纹橡木艺术合金板,
 右侧 HSD023 雅士白石纹艺术合金板
 左侧壁: 两侧 HSM028 直纹橡木艺术合金板,
 中间 HSD023 雅士白石纹艺术合金板
 右侧壁: 大板 HSM028 直纹橡木艺术合金板
 小板 HSD023 雅士白石纹艺术合金板
 前壁: 本色镜面不锈钢
 轿门: 本色镜面不锈钢
 扶手: 黑色扶手, 灯带
 地板: 岩板 (冰川白 S-DB601)

Ceiling: Wooden decorative panel, LED downlights, light strips(DD664)
 Rear wall: Left side HSM028 straight grain oak art steel plate,
 Right side HSD023 elegant white stone-patterned art steel plate
 Left wall: Both sides HSM028 straight grain oak art steel plate,
 Middle HSD023 elegant white stone-patterned art steel plate
 Right wall: Large panel HSM028 straight grain oak art steel plate,
 Small panel HSD023 elegant white stone-patterned art steel plate
 Front wall: Natural color mirror stainless steel
 Car door: Natural color mirror stainless steel
 Handrail: Black handrail, light strips
 Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示


S-V6063

吊顶: 木饰板, LED 筒灯 + 灯带 (DD664)
 后壁: 浅黄布纹艺术合金板 + 黎黄橡木艺术合金板 +
 黑色皮纹装饰扶手 + 灯带
 侧壁: 浅黄布纹艺术合金板
 前壁: 本色镜面不锈钢
 轿门: 本色镜面不锈钢
 地板: 岩板 (冰川白 S-DB601)

Ceiling: Wooden decorative panel, LED downlights, light strips(DD664)
 Back wall: Light yellow fabric-textured art steel plates,
 Li Huang oak art steel plates, black leather-textured
 decorative handrails, light strips
 Side wall: Light yellow fabric-textured art steel plates
 Front wall: Natural-colored mirrored stainless steel
 Car door: Natural-colored mirrored stainless steel
 Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示



Note: Ceiling width or depth ≤ 1200mm.

轿厢装饰和设计 · 现代简约

Car decoration and design Modern and Simple



Note: Ceiling width or depth ≤ 1200mm.

S-V6064

吊顶: 香槟金艺术合金板, 筒灯 (DD665)
 后壁: 两侧镜面不锈钢,
 中间 HSC007 香槟金艺术合金板
 侧壁: 大板 HSC007 香槟金艺术合金板,
 小板镜面不锈钢
 前壁: HSC007 香槟金艺术合金板
 轿门: HSC007 香槟金艺术合金板
 地板: 岩板 (新米黄 S-DB603)

Ceiling: Champagne gold art steel plate,
 down lamp(DD665)
 Rear wall: Mirror stainless steel on both sides, HSC007
 champagne gold art steel plate in the middle
 Side wall: HSC007 champagne gold art steel plate big
 board mirror stainless steel small board
 Front wall: HSC007 champagne gold art steel plate
 Car door: HSC007 champagne gold art steel plate
 Floor: Sintered stone (New Beige S-DB603)



轿厢 360° 全景展示



Note: Ceiling width or depth ≤ 1200mm.

S-V6065

吊顶: 镜面不锈钢, 筒灯, 灯带 (DD666)
 后壁: 两侧 HSC03503 银灰色艺术合金板, 中间镜面不锈钢
 侧壁: HSC03503 银灰色艺术合金板
 前壁: HSC03503 银灰色艺术合金板
 轿门: HSC03503 银灰色艺术合金板
 地板: 岩板 (温德姆灰 S-DB602)

Ceiling: Mirrored stainless steel,
 downlights, LED strips(DD666)
 Back wall: HSC03503 silver-gray art steel plates on both sides,
 mirrored stainless steel in the middle
 Side wall: HSC03503 silver-gray art steel plates
 Front wall: HSC03503 silver-gray art steel plates
 Car door: HSC03503 silver-gray art steel plates
 Floor: Sintered stone (Wyndham Grey S-DB602)



轿厢 360° 全景展示

S-V6006

吊顶: 木饰板, LED 灯, 筒灯 (S-D667)
 前壁: 香槟金镜面不锈钢
 侧壁: 抗指纹香槟金不锈钢
 后壁: 香槟金镜面不锈钢 + 隐藏发光灯带 + 香槟金和纹不锈钢
 轿门: 镜面不锈钢
 地坪: 岩板 (新米黄 S-DB603)

Ceiling: Wooden decorative panel, LED lamp+downlight(S-D667)
 Front wall: Champagne gold mirror stainless steel
 Side wall: Anti-fingerprint champagne gold stainless steel
 Rear wall: Champagne gold mirror stainless steel+hidden luminous
 light strip+champagne gold vibration stainless steel
 Car door: Mirror stainless steel
 Floor: Sintered stone (New Beige S-DB603)



轿厢 360° 全景展示




玫瑰金
Rose gold



黑钛
Black titanium




钛金
Titanium gold



轿厢装饰和设计 · 轻奢

Car decoration and design

Fashion is cheap



S-V6011

吊顶：发纹不锈钢，LED 灯，筒灯 (S-D668)
 前壁：抗指纹喷砂不锈钢
 侧壁：HSM05301 灰白橡木合金板
 后壁：HSM05301 灰白橡木合金板、镜面不锈钢、LED 灯带
 轿门：抗指纹喷砂不锈钢
 地板：岩板 (温德姆灰 S-DB602)

Ceiling: Hairline stainless steel, LED lamp+downlight(S-D668)
 Front wall: Anti-fingerprint sandblasted stainless steel
 Side wall: HSM05301 grey and white oak art steel plate,
 Rear wall: HSM05301 grey and white oak art steel plate, mirror stainless steel+LED light strip
 Car door: Anti-fingerprint sandblasted stainless steel
 Floor: Sintered stone (Wyndham Grey S-DB602)



轿厢 360° 全景展示

图片系电脑绘制，可能与实际图有不同，具体以实物为准，轿厢踢脚线可根据实际情况而发生变化。
 The computer-drawn pictures are only for reference, The car skirting lines are subject to change based on actual conditions.



S-V6066

吊顶：发纹不锈钢，筒灯 + 灯带 (DD669)
 前壁：发纹不锈钢板
 侧壁：侧前镜面不锈钢板 + 侧后 HSM028 直纹橡木艺术合金板
 后壁：中间 HSM028 直纹橡木艺术合金板 + 两侧镜面不锈钢板 + 隐藏灯带
 轿门：发纹不锈钢板
 地板：岩板 (新米黄 S-DB603)

Ceiling: Hairline stainless steel, downlights, light strips(DD669)
 Front wall: Hairline stainless steel panel
 Side wall: front side mirrored stainless steel panel, rear side HSM028 straight grain oak art steel plate
 Rear wall: middle HSM028 straight grain oak art steel plate, sides mirrored stainless steel panels, Hidden light strips
 Car door: Hairline stainless steel panel
 Floor: Sintered stone (New Beige S-DB603)



轿厢 360° 全景展示

Note: Ceiling width or depth ≤ 1200mm.

S-V6007

吊顶：木饰板，隐藏灯带 (S-D670)
 前壁：玫瑰金镜面不锈钢
 侧壁：抗指纹玫瑰金不锈钢 + 玫瑰金镜面不锈钢
 后壁：抗指纹玫瑰金不锈钢 + LED 灯带 + HSC005 羊绒灰艺术合金板
 轿门：玫瑰金镜面不锈钢
 地板：岩板 (冰川白 S-DB601)

Ceiling: Wooden decorative panel, hidden light strip(S-D670)
 Front wall: Rose gold mirror stainless steel
 Side wall: Anti-fingerprint rose gold stainless steel+ rose gold mirror stainless steel
 Rear wall: Anti-fingerprint rose gold stainless steel+ LED light strip+ HSC005 cashmere grey art steel plate
 Car door: Rose gold mirror stainless steel
 Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示




古铜
Bronze



黑钛
Black titanium



钛金
Titanium gold



Note: Ceiling width or depth ≤ 1200mm.

图片系电脑绘制，可能与实际图有不同，具体以实物为准，轿厢踢脚线可根据实际情况而发生变化。
 The computer-drawn pictures are only for reference, The car skirting lines are subject to change based on actual conditions.

轿厢装饰和设计 · 轻奢

Car decoration and design

Fashion is cheap



Note: Ceiling width or depth ≤ 1200mm.

S-V6067

吊顶: 茶色艺术合金板, 筒灯 + 灯带 (DD671)
 前壁: HSP005 乳白皮纹艺术合金板
 侧壁: 中间 HSP005 乳白皮纹艺术合金板 +
 两侧 HSC020 茶色艺术合金板
 后壁: 大板 HSP005 乳白皮纹艺术合金板 +
 小板 HSC020 茶色艺术合金板 + 隐藏灯带
 轿门: HSP005 乳白皮纹艺术合金板
 地板: 岩板 (冰川白 S-DB601)

Ceiling: Tea-colored art steel plate, downlights,
 light strips(DD671)
 Front wall: HSP005 milky white leather-textured art steel plate
 Side wall: center HSP005 milky white leather-textured
 art steel plate, Both sides HSC020
 tea-colored art steel plate
 Rear wall: large panel HSP005 milky white leather-
 textured art steel plate, Small panel HSC020
 tea-colored art steel plate, hidden light strips
 Car door: HSP005 milky white leather-textured art steel plate
 Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示



Note: Ceiling width or depth ≤ 1200mm.

S-V6069

吊顶: 水波纹板、暗藏灯带 (DD673)
 后壁: 左侧 HSD038 宝格蓝艺术合金板, 灯带,
 右侧 HSP005 乳白皮纹艺术合金板
 侧壁: 两侧 HSP005 乳白皮纹艺术合金板,
 中间 HSP01601 牧云灰皮纹艺术合金板
 前壁: HSP005 乳白皮纹艺术合金板
 轿门: HSP005 乳白皮纹艺术合金板
 地板: 岩板 (冰川白 S-DB601)

Ceiling: Water ripple panels, concealed light strips(DD673)
 Rear wall: Left side HSD038 baoge blue art steel plates, light strips;
 Right side HSP005 milky white leather-textured art steel plates
 Side wall: Both sides HSP005 milky white leather-textured art steel plates;
 Middle HSP01601 muyun gray leather-textured art steel plates
 Front wall: HSP005 milky white leather-textured art steel plates
 Car door: HSP005 milky white leather-textured art steel plates
 Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示

S-V6068

吊顶: 镜面不锈钢, 灯带 (DD672)
 后壁: 左侧 HSD015 潘哆拉大理石艺术合金板,
 右侧 HSC005 羊绒灰纯色艺术合金板, 暗藏灯带
 左侧壁: 两侧 HSM045 直纹海棠木艺术合金板, 中间镜面不锈钢
 右侧壁: HSC005 羊绒灰纯色艺术合金板
 前壁: HSC005 羊绒灰纯色艺术合金板
 轿门: HSC005 羊绒灰纯色艺术合金板
 地板: 岩板 (冰川白 S-DB601)

Ceiling: Mirrored stainless steel,
 LED strip lighting(DD672)
 Rear wall: Left side HSD015 Pandora marble art steel panel,
 Right side HSC005 cashmere gray solid color art steel panel,
 concealed LED strip lighting
 Left wall: HSM045 straight-grain begonia wood art steel panels on
 both sides, mirrored stainless steel in the center
 Right wall: HSC005 cashmere gray solid color art steel panel
 Front wall: HSC005 cashmere gray solid color art steel panel
 Car door: HSC005 cashmere gray solid color art steel panel
 Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示



Note: Ceiling width or depth ≤ 1200mm.

轿厢装饰和设计 · 轻奢

Car decoration and design

Fashion is cheap



Note: Ceiling width or depth ≤ 1200mm.

S-V6070

吊顶: 水波纹板, 灯带 (DD674)
 后壁: 两侧 HSC007 香槟金艺术合金板,
 中间 HSD010 鱼肚白艺术合金板, 灯带
 侧壁: HSC007 香槟金艺术合金板
 前壁: HSC007 香槟金艺术合金板
 轿门: HSC007 香槟金艺术合金板
 地板: 岩板 (冰川白 S-DB601)

Ceiling: Ripple pattern panels, LED strip lights(DD674)
 Rear wall: HSC007 champagne gold art steel plates on both sides, HSD010 ivory white art alloy panel in the middle, LED strip lights
 Side wall: HSC007 champagne gold art steel plates
 Front wall: HSC007 champagne gold art steel plates
 Car door: HSC007 champagne gold art steel plates
 Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示



Note: Ceiling width or depth ≤ 1200mm.

S-V6071

吊顶: 发纹不锈钢, 灯带、筒灯 (DD675)
 后壁: 两侧 HSW002 浅黄布纹艺术合金板,
 中间 HSD005 热带雨林艺术合金板, 灯带
 侧壁: 两侧 HSW002 浅黄布纹艺术合金板,
 中间 HSM046 卡其黄荆艺术合金板
 前壁: HSW002 浅黄布纹艺术合金板
 轿门: HSW002 浅黄布纹艺术合金板
 地板: 岩板 (温德姆灰 S-DB602)

Ceiling: Hairline stainless steel, Light strip, downlight(DD675)
 Rear wall: HSW002 light yellow fabric-textured art steel panels on both sides, HSD005 Tropical Rainforest art steel panel in the middle, light strip
 Side wall: HSW002 light yellow fabric-textured art steel panels on both sides, HSM046 Khaki Yellow Thorn art steel panel in the middle
 Front wall: HSW002 light yellow fabric-textured art steel panel
 Car door: HSW002 light yellow fabric-textured art steel panel
 Floor: Sintered stone (Wyndham Grey S-DB602)



轿厢 360° 全景展示

S-V6072

吊顶: 鱼肚白艺术合金板, 灯带、筒灯 (DD676)
 后壁: 两侧 HSC007 香槟金艺术合金板,
 中间 HSD010 鱼肚白艺术合金板, 灯带
 侧壁: 大板 HSP005 乳白皮纹艺术合金板,
 小板 HSC007 香槟金艺术合金板
 前壁: HSP005 乳白皮纹艺术合金板
 轿门: HSP005 乳白皮纹艺术合金板
 地板: 岩板 (冰川白 S-DB601)

Ceiling: Fish belly white art steel plate, Light strips, downlights(DD676)
 Rear wall: HSC007 champagne gold art steel plate on both sides, middle HSD010 fish belly white art steel plate, light strip
 Side wall: Large plate HSP005 milky white leather grain art steel plate, small plate HSC007 champagne gold art steel plate
 Front wall: HSP005 milky white leather grain art steel plate
 Car door: HSP005 milky white leather grain art steel plate
 Floor: Sintered stone (Glacier White S-DB601)




轿厢 360° 全景展示



轿厢装饰和设计 · 新中式

Car decoration and design New Chinese style



Note: Ceiling width or depth ≤ 1200mm.

S-V6014

吊顶: 木饰板, 筒灯, 隐藏灯带 (DD677)
 前壁: 抗指纹喷砂不锈钢
 侧壁: HSM028 直纹橡木艺术合金板
 后壁: 镜面蚀刻不锈钢、镜面不锈钢
 轿门: 抗指纹喷砂不锈钢
 地坪: 岩板 (新米黄 S-DB603)

Ceiling: Wooden decorative panel, Downlight+ hidden light strip(DD677)
 Front wall: Anti-fingerprint sandblasted stainless steel
 Side wall: HSM028 straight grain oak art steel plate
 Rear wall: Mirror etched stainless steel, mirror stainless steel
 Car door: Anti-fingerprint sandblasted stainless steel
 Floor: Sintered stone (New Beige S-DB603)



轿厢 360° 全景展示



Note: Ceiling width or depth ≤ 1200mm.

S-V6073

吊顶: 木饰板, 隐藏灯带, LED 筒灯 (DD678)
 前壁: 黄古铜不锈钢
 侧壁: HSM028 直纹橡木艺术合金板, 镜面不锈钢
 后壁: HSM028 直纹橡木艺术合金板, 镜面不锈钢
 地板: 岩板 (冰川白 S-DB601)

Ceiling: Wooden decorative panel, hidden light strip, LED downlights (DD678)
 Front wall: Yellow antique bronze stainless steel
 Side wall: HSM028 straight grain oak art steel plate, mirror stainless steel
 Rear wall: HSM028 straight grain oak art steel plate, mirror stainless steel
 Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示



古铜
Bronze



玫瑰金
Rose gold



钛金
Titanium gold

S-V6074

吊顶: 古铜不锈钢, 灯带, LED 筒灯 (DD679)
 前壁: 古铜不锈钢
 侧壁: 古铜不锈钢
 后壁: 古铜不锈钢 + 镜面蚀刻不锈钢
 地板: 岩板 (新米黄 S-DB603)

Ceiling: Bronze stainless steel, light strip, LED downlights(DD679)
 Front wall: Bronze stainless steel
 Side wall: Bronze stainless steel
 Rear wall: bronze stainless steel mirror etched stainless steel
 Floor: Sintered stone (New Beige S-DB603)



轿厢 360° 全景展示




古铜
Bronze



玫瑰金
Rose gold



钛金
Titanium gold



轿厢装饰和设计 · 观光

Car decoration and design

Sightseeing




Note: Ceiling width or depth ≤ 1200mm.

S-V6075

吊顶：镜面不锈钢，LED 灯，筒灯 (DD680)
 围壁：玫瑰金铝型材框架、安全夹胶玻璃
 轿门：玫瑰金铝型材框架、安全夹胶玻璃
 地坪：岩板 (冰川白 S-DB601)

Ceiling: Mirrored stainless steel, LED lamp+
 downlight(DD680)
 Car wall: Rose gold aluminum profile frame,
 safety laminated glass
 Car door: Rose gold aluminum profile frame,
 safety laminated glass
 Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示



Note: Ceiling width or depth ≤ 1200mm.

S-V6018

吊顶：木饰板，LED 灯，筒灯 (DD681)
 后壁：铝型材框架、安全夹胶玻璃
 侧部：铝型材框架、安全夹胶玻璃、黑钛镜面
 前壁：抗指纹古铜不锈钢
 地坪：岩板 (冰川白 S-DB601)

Ceiling: Wooden decorative panel, LED lamp+downlight(DD681)
 Rear wall: Aluminum profile frame+safety laminated glass
 Side wall: Aluminum profile frame+safety laminated glass
 + black titanium mirror
 Front wall: Anti-fingerprint bronze stainless steel
 Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示

S-V6019

吊顶：木饰板，LED 灯，筒灯 (DD681)
 后壁：铝型材框架、安全夹胶玻璃
 侧部：铝型材框架、安全夹胶玻璃、灰钛镜面
 前壁：抗指纹香槟金不锈钢
 地坪：岩板 (冰川白 S-DB601)

Ceiling: Wooden decorative panel, LED lamp+downlight(DD681)
 Rear wall: Aluminum profile frame+safety laminated glass
 Side wall: Aluminum profile frame+safety laminated glass
 + gray titanium mirror
 Front wall: Anti-fingerprint champagne gold stainless steel
 Floor: Sintered stone (Glacier White S-DB601)



轿厢 360° 全景展示



Note: Ceiling width or depth ≤ 1200mm.

图片系电脑绘制，可能与实际图有不同，具体以实物为准，轿厢踢脚线可根据实际情况而发生变化。
 The computer-drawn pictures are only for reference, The car skirting lines are subject to change based on actual conditions.


图片系电脑绘制，可能与实际图有不同，具体以实物为准，轿厢踢脚线可根据实际情况而发生变化。
 The computer-drawn pictures are only for reference, The car skirting lines are subject to change based on actual conditions.

人机界面

Human-machine interface



COP-V02
(标配 standard)
分体式 Split-type
不锈钢边框, 钢化玻璃黑色
Stainless steel frame,
Tempered glass black



COP-V06
(选配 Optional)
不锈钢边框, 玻璃面板
Stainless steel frame, glass panel



COP-V03
(选配 Optional)
触摸屏 10.1 寸
10.1-inch touchscreen



COP-V04
(选配 Optional)
触摸屏 13.3 寸
13.3-inch touchscreen




COP-V05
(选配 Optional)
触摸屏 15 寸
15-inch touchscreen

外呼控制 LOP



LOP-V01
(标配 standard)



LOP-V02
(选配 Optional)



LOP-V03
(选配 Optional)

图片系电脑绘制, 可能与实际图有不同, 具体以实物为准。
The computer-drawn pictures are only for reference.




厅门系列 (可选)

Landing door series (optional)



S-TM602
抗指纹发纹不锈钢
Hairline stainless steel anti-fingerprint

材质可选 Material options available

-  钛金
Titanium gold
-  玫瑰金
Rose gold
-  香槟金
Champagne gold
-  古铜色
Bronze
-  黑钛
Black titanium



S-TM621 手拉门 Manually door
S-TM622 自动门 Automatic door
炫彩银色 Shiny silver



颜色可选 Color options available


-  香槟金
Champagne gold
-  黑胡桃色
Dark walnut
-  红木纹色
Redwood grain



S-TM611
本色铝合金有框玻璃门
Aluminum alloy
framed glass door






颜色可选 Color options available

-  钛金
Titanium gold
-  古铜色
Bronze



S-TM631
自动双开门
Automatic double door

颜色可选 Color options available

-  钛金
Titanium gold
-  玫瑰金
Rose gold
-  香槟金
Champagne gold
-  古铜色
Bronze
-  黑钛
Black titanium

图片系电脑绘制, 可能与实际图有不同, 具体以实物为准。
The computer-drawn pictures are only for reference.

电梯功能 Function Table



全面保护

General protection

- 关门时间保护
Closing time protection
- 轿内紧急照明
Emergency lighting in the car
- 限位保护
Limit protection
- 光幕门保护装置
The screen door protection device
- 轿顶与控制柜紧急电动运行
Car roof and control cabinet emergency electric operation
- 故障自动检测功能
Fault automatic diagnosis
- 撞底缓冲装置
Hitting the bottom buffer device
- 门区外不能开门
Outside door zone without opening door
- 抱闸检测保护
Brake detection and protection
- 接触器反馈检测功能
Contactor feedback detection
- 继电器检查保护
Relay detection protection
- 速度反馈检测功能
Speed feedback detection
- 逆向运行保护
Protection against reverse travel

- 外召按钮嵌入自诊断
Hb button embedded self-diagnosis
- 故障低速自救功能
Fault low-speed self-rescue
- 防打滑保护
Prevent slipping protection
- 安全回路保护
Safety circuit protection
- 超载不启动
Overload warning
- 上下极限保护装置
Upper and lower limit protection device
- 门连锁保护
Door interlock protection
- 运行接触器保护
Operation contactor protection
- 电网电压波动检测功能
Wave detection of grid voltage
- 驱动设备过热保护
Driven equipment overheating protection (OHT)
- 电动松闸
Electric brake
- 停电应急平层 (ARD)
Power-off emergency leveling (ARD)
- 一键拨号功能
One-touch dial



平稳运行

Steady running

- 无呼自返基站功能
Return to base station without call
- 全集选控制
Full collective control
- 待梯层设定
Upon elevator floor setting
- 自动开关门 (自动门 Automatic door)
Automatic door switch
- 预转矩输出
Pre-torque output
- 井道自学习
Hoistway self-learning
- 端站换速及楼层号校正
End station for speed and floor number correction
- 困人对外呼救
Passenger entrapment emergency call



舒适乘行

Comfortable ride

- 设置厅、轿门时间 (自动门 Automatic door)
Hall and car door setting time
- 开、关门按钮 (自动门 Automatic door)
Open and close button
- 轿内通风自动及照明自动控制功能
Automatic ventilation and lighting of automatic control in car
- 本层外召开门 (自动门 Automatic door)
Hb calls door opening
- 不停层设置
Bypassed stop setting
- 重复关门 (自动门 Automatic door)
Repeated closing door
- 输入口干扰评价
Input port evaluation
- 手动选层
Manually selected floor
- 误登陆取消
Cancellation of wrong landing
- 晕厥误关自动呼救功能
Syncope-activated emergency call
- 防溜车主机双抱闸封星
Rollback-preventive traction machine with dual braking & star-sealing
- 系统一键自检解困
One-key self-diagnosis & rescue system



信息显示

Information display

- 厅外数字式位置指示器
Hall digital position indicator
- 轿厢数字式位置指示器
Car digital position indicator
- 轿厢运行方向显示
Car running direction display
- 楼层显示字符的任意设定
Floor display character arbitrary setting
- 厅和轿厢呼梯 / 登记
Hall and car call/register
- 运行次数显示功能
Running number display
- 厅外运行方向显示
Hall running direction display




保安监控

Security monitoring


- CCTV 电缆 (轿厢到机房)
CCTV cable (From car to machine room)
- 电梯远程监控
Elevator remote control

注: O 为选配功能
Note: O is optional function

地板 (可选) Floor (optional)



S-DB601
冰川白
Glacier White



S-DB602
温德姆灰
Wyndham Grey




S-DB603
新米黄
New Beige

图片系电脑绘制, 可能与实际图有不同, 具体以实物为准。
The computer-drawn pictures are only for reference.

SV600 系列土建规格及尺寸


SV600 series Layout specifications and dimensions



注: 对重量受井道尺寸及顶层层高限制, 轿厢尺寸可能会有小幅度变化
Note: Due to restrictions of shaft dimensions and the ceiling height, the cabin size may vary slightly.

SV600 系列侧对重 中分门 SV600 sideward Counterweight, center-opening door


标准尺寸 Standard size	顶层 Overhead ≥ 2650mm	底坑 Pit ≥ 350mm
非标尺寸 Non-standard size	顶层 Overhead ≥ 2400mm	底坑 Pit ≥ 350mm
	顶层 Overhead ≥ 3000mm	底坑 Pit ≥ 100mm
最小井道尺寸 Minimum shaft size	1300mm×1050mm	
中分门 Center-opening	开门宽度 = (井道净宽 - 60)/2	向下取整
	开门宽度 (600,650,700,750,800)	



注: 对重量受井道尺寸及顶层层高限制, 轿厢尺寸可能会有小幅度变化
Note: Due to restrictions of shaft dimensions and the ceiling height, the cabin size may vary slightly.

SV600 系列侧对重 旁开门 SV600 sideward Counterweight, side-opening door


标准尺寸 Standard size	顶层 Overhead ≥ 2650mm	底坑 Pit ≥ 350mm
非标尺寸 Non-standard size	顶层 Overhead ≥ 2400mm	底坑 Pit ≥ 350mm
	顶层 Overhead ≥ 3000mm	底坑 Pit ≥ 100mm
最小井道尺寸 Minimum shaft size	1110mm×1100mm	
中分双折门 Center-double fold	开门宽度 = 2(井道净宽 - 100)/3	向下取整
	开门宽度 (600,650,700,750,800)	
旁开门 Side-opening	开门宽度 = 2(井道净宽 - 200)/3	向下取整
	开门宽度 (600,650,700,750,800)	



注: 对重量受井道尺寸及顶层层高限制, 轿厢尺寸可能会有小幅度变化
Note: Due to restrictions of shaft dimensions and the ceiling height, the cabin size may vary slightly.

SV600 系列后对重 中分门 SV600 back Counterweight, center-opening door

标准尺寸 Standard size	顶层 Overhead ≥ 2650mm	底坑 Pit ≥ 350mm
非标尺寸 Non-standard size	顶层 Overhead ≥ 2400mm	底坑 Pit ≥ 400mm
	顶层 Overhead ≥ 3000mm	底坑 Pit ≥ 100mm
最小井道尺寸 Minimum shaft size	1300mm×1200mm	
中分门 Center-opening	开门宽度 = (井道净宽 - 60)/2	向下取整
	开门宽度 (600,650,700,750,800)	



注: 对重量受井道尺寸及顶层层高限制, 轿厢尺寸可能会有小幅度变化
Note: Due to restrictions of shaft dimensions and the ceiling height, the cabin size may vary slightly.

SV600 系列后对重 旁开门 SV600 back Counterweight, side-opening door

标准尺寸 Standard size	顶层 Overhead ≥ 2650mm	底坑 Pit ≥ 350mm
非标尺寸 Non-standard size	顶层 Overhead ≥ 2400mm	底坑 Pit ≥ 400mm
	顶层 Overhead ≥ 3000mm	底坑 Pit ≥ 100mm
最小井道尺寸 Minimum shaft size	1110mm×1300mm	
中分双折门 Center-double fold	开门宽度 = 2(井道净宽 - 100)/3	向下取整
	开门宽度 (600,650,700,750,800)	
旁开门 Side-opening	开门宽度 = 2(井道净宽 - 200)/3	向下取整
	开门宽度 (600,650,700,750,800)	

售后服务

After-sales service

专业领跑未来

施密特电梯拥有一支经验丰富、技术先进的安装团队, 为用户提供各类电梯、扶梯安装服务, 给用户带去无微不至的关怀。
施密特电梯针对不同电梯的制定个性化维护保养方案致力于推行高安全、高品质的用户体验, 以完善的服务机制和全面的网络体系, 第一时间响应客户需求, 将维保服务打造成为企业的核心竞争力之一。

Expertise Leads the Future

Schmidt Elevator has an experienced expertise installation team, providing the installation service of all kinds of elevators for customers. In order that the customers experience safety and high quality, Schmidt Elevator provides tailor-made maintenance plans according to different elevators. With our complete service system and network, we can response to the customers' needs in the first time, which makes maintenance service one of our core competitiveness.



优秀的安装维保团队

拥有一批经过专业安装维保和服务意识培训的优秀队伍, 按照统一的服务流程和标准的服务内容, 为客户提供高品质服务。

Excellent installation and maintenance team

It has a group of excellent teams trained in professional installation, maintenance and service awareness, according to the unified service process and standard service content, provide customers with high-quality services.



故障远程监控服务

建立三方通话系统和故障代码手机反馈系统。实现故障远程监控服务。

Remote monitoring service

We built a three-way calling system and an error code cellphone feedback system, which helps to realize our remote monitoring service.



城市驻点服务

实现区县主要城市驻点服务, 是行业内服务体系覆盖较广的公司。

Service station net

With service stations in the main cities, Schmidt Elevator is the company with the largest service station net.

实时监控

维保完成后, 维保人员将扫描二维码, 将电梯相关数据及本次维保内容传送到公司, 以便对电梯的维保情况进行实时监控。

Real-time monitoring

After finishing the maintenance work, staff will scan the QR code and send the elevator data and maintenance condition to the company, so that Schmidt Elevator can realize the Real-Time Monitoring of elevator maintenance.

行业领先

实行物联网全面开通使用。

Lead the industry

Implement the Internet of Things to fully open and use.

24 小时全天候

应急故障处理, 24 小时监控, 24 小时服务。

24H round-the-clock service

Emergency troubleshooting, 24-hour monitoring and 24-hour service.